

Storage Tent 12 m x 12 m Assembly Guide



DANCOVER®


1. Connect the Frames

Connect the Frame Beams, Frame Poles and the Top Insertion with the Relative Bolts.




2. Set Up the first frame

Set up the first frame and use the Cross Bracing Bars to peg it.




3. Set up next frame and connect to the first

Set up the second frame.



4. Connect the two frames

Connect the two frames with the Roof Purlins and Eaves Purlins




5. Set up all Frames and Connect them

Set up all the frames and connect them.



6. Fix the cross bracing bars

Fix the Cross Bracing Bars and Cables every 6 units



9. Install the Roof Cover.

Install the Roof Cover.



10. Install all the Roof Covers

Install all the Roof Covers



11. Firm the Roof Covers with the Tension Bars, Brackets, and Cover Tension

Firm the Roof Covers with the Tension Bars, Brackets, and Cover Tensions.



12. Set up gable Poles

Set up the Gable Poles.




13. Connect the Gable Poles with Gable Cross Beam.

Connect the Gable Poles with Gable Cross Beams.




14. Install Triangle Curtains and connect them with Gable triangle connections the Triangle Curtains with Gable Tension Bars and Pullers.

Install Triangle Curtains and connect them with Gable triangle connections. Then, firm the Triangle Curtains with Gable Tension Bars and Pullers.



15. Install the Wall Curtains and the Gable Curtains.

Install the Wall Curtains and the Gable Curtains.



The Multiflex20/60 Tent Structure

